



# Light Module Calabronet

Spot - Length 70 cm

Emiliana Martinelli

Andrea Menchini



colors



Typology           Pendant

Utilisation        Indoor

24V 2x 9 W 1224 lm (2448lm )



direct light




indirect light

## MODULE 40033/NE

Combinable swivel system, direct/indirect diffused light. Composed of two length of aluminium tubular profiles (70cm - 160cm) connected together with a particular joint (40032/NE) for different configurations. Module with spots for light source LED integrated and electronic driver inserted into the stud, to be fixed on the ceiling or false ceiling for two contiguous modules. Variation for G5 T5 8W/20W tube LED (40030/NE - 40031/NE) and ceiling stud for three profiles, to be fixed on the ceiling.



Family	Light module Calabronet
Typology	Pendant
Utilisation	Indoor



**Dimensions**


Height	7 cm
Lunghezza	70 cm
Diameter	4,5 cm
Power supply cable length	400 cm
Weight	1.25 Kg

**Materials**


Structure	aluminium
-----------	-----------

Voltage	24V	2 X Watt	9 W
Power unit	Excluded	Lumen	1224 lm ( 2448 lm )
Mounting Power Supply	External	CRI	>80
		CCT	3000 K
		Energy class	

**Certifications**



**Photometric curves**





Colour variant code




40033/NE



Black

Gallery





Accessories



40114

Canopy with driver Calabronet/Colibri

---